

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Version number 4

Revision: 15.05.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier** Easy PUR plus 2K Slow - A
- **Trade name:** Easy PUR plus 2K Slow - A
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use**  
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites  
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Product category**  
PC1 Adhesives, sealants  
PC32 Polymer preparations and compounds
- **Process category**  
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions  
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities  
PROC10 Roller application or brushing
- **Environmental release category** ERC2 Formulation into mixture
- **Application of the substance / the mixture** Reaction resin
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
I.S.T. Innovative Sewer Technologies GmbH  
Rombacher Hütte 19  
44795 Bochum  
Germany
- **Further information obtainable from:**  
Mr. Matthias Peppel +49 (0) 234-57988-27  
info@ist-web.com
- **1.4 Emergency telephone number:** +49 (0)234 57988-0 (Mo.-Fr. 8:00-16:30)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS07

- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2 H319 Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.
- **Precautionary statements**  
P264 Wash hands thoroughly after handling.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.

(Contd. on page 2)

GB

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Version number 4

Revision: 15.05.2018

**Trade name: Easy PUR plus 2K Slow - A**

· **vPvB:** Not applicable.

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 1344-09-8	Silicic acid, sodium salt	⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	< 50%
EINECS: 215-687-4			
Reg.nr.: 01-2119448725-31			

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
Call for a doctor immediately.  
Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fire with alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**  
Every person taking part in fire-fighting must wear complete protective clothing: full face mask with breathing apparatus feeded from independent air source, safety helmet, a coverall, gloves and shoes made of PVC.
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Use neutralising agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Version number 4

Revision: 15.05.2018

**Trade name: Easy PUR plus 2K Slow - A**

(Contd. of page 2)

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Store in cool, dry place in tightly closed receptacles.  
Keep away from heat and direct sunlight.  
Thorough dedusting.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Protect from frost.  
Keep container tightly sealed.
- **Recommended storage temperature:** +10 to +30 °C (12 months)
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**

**CAS: 1344-09-8 Silicic acid, sodium salt**

Oral	DNEL	0.8 mg/kg b.w./day (consumers) (long-term exposure, systemic effect) >2,000 mg/kg b.w./day (rat)
Dermal	DNEL	0.8 mg/kg b.w./day (consumers) (long-term exposure, systemic effect) 1.59 mg/kg b.w./day (workers) (long-term exposure, systemic effect)
Inhalative	DNEL	1.38 mg/m <sup>3</sup> (consumers) (long-term exposure, systemic effect) 5.61 mg/m <sup>3</sup> (workers) (long-term exposure, systemic effect)

· **PNECs**

**CAS: 1344-09-8 Silicic acid, sodium salt**

PNEC	7.5 mg/l (intermittent) 1 mg/l (marine water) 7.5 mg/l (fresh water) 348 mg/l (waste treatment plant)
------	--

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Version number 4

Revision: 15.05.2018

**Trade name: Easy PUR plus 2K Slow - A**

(Contd. of page 3)

**· Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**· Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· Eye protection:**



Tightly sealed goggles

**· Limitation and supervision of exposure into the environment**

There are not any obligations to make regular measurements of emission to environment. Basic rules of machinery and devices exploitation are to be observed.

### SECTION 9: Physical and chemical properties

**· 9.1 Information on basic physical and chemical properties**

**· General Information**

**· Appearance:**

<b>Form:</b>	Liquid
<b>Colour:</b>	Colourless
<b>· Odour:</b>	Characteristic
<b>· Odour threshold:</b>	Not determined.

**· pH-value at 20 °C:** >12

**· Change in condition**

<b>Melting point/freezing point:</b>	Undetermined.
<b>Initial boiling point and boiling range:</b>	Undetermined.

**· Flash point:** Not applicable.

**· Flammability (solid, gas):** Not determined.

**· Decomposition temperature:** Not determined.

**· Auto-ignition temperature:** Product is not selfigniting.

**· Explosive properties:** Product does not present an explosion hazard.

**· Explosion limits:**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.

**· Vapour pressure:** Not applicable.

<b>· Density at 20 °C:</b>	1.49 g/cm <sup>3</sup>
<b>· Relative density</b>	Not determined.
<b>· Vapour density</b>	Not applicable.
<b>· Evaporation rate</b>	Not applicable.

**· Solubility in / Miscibility with water:** Insoluble.

**· Partition coefficient: n-octanol/water:** Not determined.

**· Viscosity:**

<b>Dynamic at 20 °C:</b>	400 mPas
<b>Kinematic:</b>	Not applicable.

**· Solvent content:**

<b>VOC (EC)</b>	0.00 %
-----------------	--------

**· 9.2 Other information** No further relevant information available.

### SECTION 10: Stability and reactivity

**· 10.1 Reactivity** Avoid contacts with strong oxidizing substances.

(Contd. on page 5)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Version number 4

Revision: 15.05.2018

**Trade name: Easy PUR plus 2K Slow - A**

(Contd. of page 4)

- **10.2 Chemical stability** The product is stable at room temperature.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Avoid heat sources (sunbeams, heaters and the like) influence.
- **10.5 Incompatible materials:** Strong oxidizers.
- **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
  - **Acute toxicity** Based on available data, the classification criteria are not met.
  - **LD/LC50 values relevant for classification:**
- |   |      |                    |
|---|------|--------------------|
| <b>CAS: 1344-09-8 Silicic acid, sodium salt</b> |      |                    |
| Oral  | LD50 | >2,000 mg/kg (rat) |
| Dermal  | LD50 | >5,000 mg/kg (rat) |
- **Primary irritant effect:**
  - **Skin corrosion/irritation**  
Causes skin irritation.
  - **Serious eye damage/irritation**  
Causes serious eye irritation.
  - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
  - **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**
  - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
  - **Carcinogenicity** Based on available data, the classification criteria are not met.
  - **Reproductive toxicity** Based on available data, the classification criteria are not met.
  - **STOT-single exposure** Based on available data, the classification criteria are not met.
  - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
  - **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
  - **Aquatic toxicity:**
- |   |  |
|---|--|
| <b>CAS: 1344-09-8 Silicic acid, sodium salt</b> |  |
| EC50  | >100 mg/l (alga) (OECD 201 Growth Inhibition Test) |
|   | >100 mg/l (bacteria) (DIN 38412)                   |
|   | >100 mg/l (daphnia)                                |
| LC50  | >100 mg/l (fish)                                   |
- **12.2 Persistence and degradability** No further relevant information available.
  - **12.3 Bioaccumulative potential** No further relevant information available.
  - **12.4 Mobility in soil** No further relevant information available.
  - **Additional ecological information:**
  - **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Must not reach sewage water or drainage ditch undiluted or unneutralised.  
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
  - **12.5 Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
  - **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Version number 4

Revision: 15.05.2018

Trade name: Easy PUR plus 2K Slow - A

(Contd. of page 5)

- **European waste catalogue**

16 03 03*	inorganic wastes containing hazardous substances
-----------	--

15 01 10*	packaging containing residues of or contaminated by hazardous substances
-----------	--

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- **14.1 UN-Number**

- **ADR, ADN, IMDG, IATA** not regulated

- **14.2 UN proper shipping name**

- **ADR** not regulated

- **ADN, IMDG, IATA** not regulated

- **14.3 Transport hazard class(es)**

- **ADR, ADN, IMDG, IATA**

- **Class** not regulated

- **14.4 Packing group**

- **ADR, IMDG, IATA** not regulated

- **14.5 Environmental hazards:** Not applicable.

- **14.6 Special precautions for user** Not applicable.

- **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.

- **UN "Model Regulation":** not regulated

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

1. Regulation (EC) No 1907/2006 of the European Parliament and the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 and Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67EWG, 93/105/EC and 2000 / 21/ WE (Official Gazette. EU L 136 of 29 May 2007).

2. Commission Regulation (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (Journal of Laws. L 132 of 28 May 2015).

3. Regulation (EC) No 1272/2008 Of The European Parliament And Of The Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

- **Department issuing SDS:** Product safety department.

- **Contact:** I.S.T. Innovative Sewer Technologies GmbH

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Version number 4

Revision: 15.05.2018

**Trade name: Easy PUR plus 2K Slow - A**

(Contd. of page 6)

EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

GB