

Printing date 16.08.2017	VerNr: 4	Revision: 16.08.2017
SECTION 1: Identificat undertaking	ion of the substance/mixt	ure and of the company/
1.1 Product identifier		
 Trade name: Easy Pur 2K slo 1.2 Relevant identified uses of No further relevant information Application of the substance 	of the substance or mixture and u available.	ises advised against
• 1.3 Details of the supplier of • Manufacturer/Supplier: I.S.T. Innovative Sewer Techno Rombacher Hütte 19 44795 Bochum Germany	-	
Further information obtainab Mr. Matthias Peppel +49 (0) 23 info@ist-web.com 1.4 Emergency telephone nu		8:00-16:30 []hr)
SECTION 2: Hazards ide	entification	
• 2.1 Classification of the subs • Classification according to R	stance or mixture	
GHS07		
Skin Irrit. 2 H315 Causes skin i		
Eye Irrit. 2 H319 Causes serio	us eye irritation.	
 2.2 Label elements Labelling according to Regul The product is classified and la Hazard pictograms 	lation (EC) No 1272/2008 belled according to the CLP regulat	ion.
GHS07		
P280 Wear protect	tion. ughly after handling. ctive gloves / eye protection / face p. ': Wash with plenty of water.	rotection.
P305+P351+P338 IF IN EYES lenses, if pro P321 Specific trea P332+P313 If skin irritati	E: Rinse cautiously with water for s esent and easy to do. Continue rins atment (see on this label). ion occurs: Get medical advice/atter on persists: Get medical advice/atte	ing. ntion.
		GB (Contd. on page 2)
		(00110. 01 page 2)

Ver.-Nr: 4

Revision: 16.08.2017

Trade name: Easy Pur 2K slow Komp. A

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Solution of organic additives in silicate of sodium.

· Dangerous components:

CAS: 1344-09-8 Silicic acid, sodium salt EINECS: 215-687-4 Skin Irrit. 2, H315; Eye Irrit. 2, H319

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:
 Immediately wash with water and soap and rinse thoroughly.
- Immediately wash with water and Immediately rinse with water.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Water
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing. Particular danger of slipping on leaked/spilled product. Wear protective equipment. Keep unprotected persons away. 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars. Do not allow to enter sewers/ surface or ground water. - 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 3)

GB



Printing date 16.08.2017

50-100%



Printing date 16.08.2017

Ver.-Nr: 4

Revision: 16.08.2017

Trade name: Easy Pur 2K slow Komp. A

(Contd. of page 2)

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Open and handle receptacle with care.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

107-21-1 ethanediol

- OEL 10 mg/m3
- Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Respiratory protection: Not required.
- Protection of hands:



Protective gloves

- *Material of gloves* Nitrile rubber, NBR
- Fluorocarbon rubber (Viton) • Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

- · General Information
- · Appearance:

Form: Colour: Fluid Colourless

(Contd. on page 4)

GB



Printing date 16.08.2017

Ver.-Nr: 4

Revision: 16.08.2017

Trade name: Easy Pur 2K slow Komp. A

· Odour:	(Contd. of page 3) Characteristic	
 Change in condition Melting point/freezing point: Initial boiling point and boiling range 	Undetermined. e: Undetermined.	
· Flash point:	Not applicable.	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Density at 25 °C (77 °F):	1.48 g/cm³ (12.351 lbs/gal)	
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.	
 Viscosity: Dynamic at 25 °C (77 °F): 	350 mPas	
 Solvent content: Organic solvents: 9.2 Other information 	0.0 % No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with light alloys to form hydrogen. Strong exothermic reaction with acids.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.

(Contd. on page 5)

GB



Ver.-Nr: 4

Revision: 16.08.2017

(Contd. of page 4)

Trade name: Easy Pur 2K slow Komp. A

· 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

Printing date 16.08.2017

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

12 00 00 Wastes from shaping and surface treatment of metals and plastics

12 01 00 wastes from shaping (including forging, welding, pressing, drawing, turning, cutting and filing)

12 01 05 plastics particles

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA · 14.2 UN proper shipping name	Void
· ADR · ADN, IMDG, IATA	Void Void
· 14.3 Transport hazard class(es)	Vola
· ADR, ADN, IMDG, IATA · Class · 14.4 Packing group	Void
· ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 14.6 Special precautions for user 	No Not applicable.
 14.7 Transport in bulk according to Ann of Marpol and the IBC Code UN "Model Regulation": 	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 6)

[—] GB



Printing date 16.08.2017

Ver.-Nr: 4

Revision: 16.08.2017

Trade name: Easy Pur 2K slow Komp. A

(Contd. of page 5)

· National regulations:

- · Technical instructions (air):
- Class Share in %

· III 2.5

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation. H319 Causes serious eye irritation.

· Contact: + 49 201 80983 -841 /-821/-801

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 * * Data compared to the previous version altered. GB